






Specifications

		VL-SW250BX		VL-SV30BX
				
		Door Station	Main Monitor	Wireless Monitor
Monitor	Display	Main Monitor	Wireless Monitor	3.5 inch color TFT
		5.2 inch color IPS-TFT	1.8 inch color TFT	
	Dimensions (HxWxD)	190 x 165 x 38 mm	157 x 52 x 35 mm	138 x 26 x 183 mm
	Weight	735 g	175 g	460 g
	Power source	100 – 240 V AC 50/60 Hz	Ni-MH battery	100 – 240 V AC 50/60 Hz
	Picture recording	● (up to 400 images / 50 separate sessions)		● (up to 30 separate sessions)
Door Station	Voice changer	●		—
	Power source	Supplied by the main monitor station		
	Dimensions (HxWxD)	131 x 99 x 36.5 mm		
	Weight	200 g		
Connectable items	Operating environment	-10°C to 50°C, up to 90% humidity (non condensing)		
	Door Station	● (additional 1)		
	Wireless Monitor	● (additional 3)		—
	Door Opener	Up to 2		
PBX		● (Panasonic PBX)		
	Repeater	Main Monitor connectable up to 2 Repeater		—

Optional Products

MDL No.	Specifications
 VL-W605BX	Optional Wireless Monitor (same as one included in VL-SW250BX)
 VL-V566BX	Optional Door Station (same as one included in VL-SW250BX and VL-SV30BX)
 VL-GC005BX-S	Optional Door Station (metallic exterior, pinhole type camera)
 VL-V590BX	Optional Lobby Station (up to 20 Main Monitors connectable)
 VL-FAN1BX	Optional Repeater for Wireless Monitor

Relative Products

MDL No.	Specifications
 VL-MW250BX	Main Monitor (same as one included in VL-SW250BX)
 VL-MV30BX	Main Monitor (same as one included in VL-SV30BX)

• Monitor images in advertisements are the size of LCD panels. (Actual images are displayed within a different range.)

Panasonic

All pictures simulated.
Design and specifications are subject to change without notice.
3K0311TD-VL-SW250BX-LT. Printed in Japan

Panasonic
ideas for life

VL-SW250BX
VL-SV30BX
Video Intercom System

See and Talk from Wherever* You Are
See, Listen and Record Your Way to Greater Security for Your Family.



*The main monitor and wireless monitor can be used as far as 100 m apart provided there are no obstructions in-between them, however some buildings and environments shorten the range of radio waves. Keep communication equipment at least 20 cm in all directions from the main monitor and wireless monitor because noise from the intercom system may interfere with communications.

Check the Front Door from Any Place in the Home

Panasonic's Wireless Video Intercom System brings upgraded features and ease of operation that will enhance security for your family. It can be easily installed and conveniently expanded. The system includes a monitor for seeing and hearing activity at the front door, a convenient wireless monitor that can be carried about, an IPS LCD that can be easily viewed at angles and from below, a beautiful 5.2 inch color monitor, recording support that can safely store a maximum of 400 images, and whole lot more. And, it comes with Transfer Calling that allows use as an ordinary phone plus a host of features for enhancing family communications. Also available is a 3.5 inch LCD Model that is great for enhancing family security and can be easily installed anywhere in the home as demanded by your family's situation. Panasonic is concerned about the safety of your family.

Security* Made Easy with a Wireless Video Intercom

Checking Visitors without Opening the Door

To keep your family safe, you can check visitors on the monitor without opening the door. This means you can feel safe and secure even when you're home all alone.



Door Station
(VL-V566BX)



Main Monitor
(VL-MW250BX)



Wireless Monitor
(VL-W605BX)

Selecting the System—That's Right for You

The Panasonic wireless video intercom solution: Tough, Convenient, Expandable

Needs	Security	Comfort	Future Enhancements
	I need effective protection for my home and family.	It has to be easy enough for everyday use.	You may want to add on new functions later.
Solutions	Toughness	Convenient Functions	Expandability
	The system is tough enough to withstand attempts to break it.	You can control everything from indoors.	You can add on wireless monitors and repeaters to expand the system.

* This model is not produced to prevent house-breaking. Panasonic assumes no responsibility for injuries or property damage resulting from it.

Wireless Video Intercom System

VL-SW250BX



Door Station



Main Monitor



Wireless Monitor

Wireless Handset

Check visitors and respond promptly from everywhere home and even while you are doing something else, by wireless handset.



5.2 inch Large LCD Monitor

Large 5.2 inch IPS LCD on main monitor offer easy viewing at wide angles even when small children look it up from the lower position.



Commonly
Used LCD



IPS-TFT
LCD


Picture Recording Function

The intercom records the images of up to 400 (50 separate sessions). This is a highly secure and useful function while you are away from home.



Voice Changer Function

This function makes a woman's voice sound like a man's when speaking with visitor. This helps to make women feel more secure.



Connectable Items



Video Intercom System

VL-SV30BX



Door Station



Main Monitor

Picture Recording Function


The intercom records the images of up to 30 separate sessions. This is a highly secure and useful function while you are away from home.




Slim Monitor with 3.5 Inch TFT LCD

Simple Main monitor is small and slim from wireless model (VL-SW250) with 3.5 inch TFT colour LCD.

Exposure
Depth: about 26mm



Connectable Items



Door Station (Optional)

VL-GC005BX-S



Features

- Rain Proof
- Solid Aluminum Panel
- Pinhole Camera

Lobby Station (Optional)

VL-V590BX




Features

- Enter Room Number by Digits
- Up to 20 Main Monitor
- PIN (Personal Identification Number) Supported
- Room Number Plate



Large System Expandability to Meet Customer Needs

The Panasonic Video Intercom offers large system expandability via combination with optional products, not only for detached houses but also apartment buildings, to meet customer needs for safety and convenience.

Video Intercom System for Detached House



Video Intercom System for Apartment House



Wire type and distance (between the main monitor station and the door station)
General cable CAT-3 : Maximum 50m
General cable 22AWG (ø0.65) : Maximum 100m